



Lighting specifications
(B system)

One hundred twenty (120) par 64 fixtures on two trusses.
Three (3) banks of ACL's over hung from upstage truss.

Downstage truss is to have two (2) molefayes units equipped with DWE 650 watt bulbs (**NO ACL'S**) or equivalent to illuminate the audience, or have control of house lights, or communications to house lights for entirety of show. One (1) extra circuit for Oak Ridge Boys Supplied Source, Four Leko

Upstage truss is to have a 40' x 25' black back drop.

Gels to specifications for all instruments.

Dimmer package appropriate to system.

Four (4) follow spots in house. (This is an **ABSOLUTE MUST** as there are four principal performers in the OAK RIDGE BOYS). **NO EXCEPTIONS WILL BE MADE !**

All four followspots should be matched with properly operating boomerangs and positioned as close to center of house as reasonably possible. (Refer to plot FOH spot colors).

In most cases the OAK RIDGE BOYS will have their own lighting console. A two line DMX snake w/power is required. In the case of a fly date a console will be required.

Acceptable consoles include: All Avo consoles, Leprechaun LP-2000, or 1500 series, ETC Express.
PLEASE... NO WHOLE HOG CONSOLES!!

Lighting company will also provide a clearcom communication system with enough head sets, belt packs, and cable to run seven (7) stations.

Control snake and all cabling, including adequate spares.

Rigging gear appropriate for both the system and the venue.

ANY and ALL changes in TRUSS CONFIGURATION, GEL COLOR, CHANNEL ASSIGNMENT, CONSOLE, and SPOT LIGHTS other than what is specified in this package must be approved by the OAK RIDGE BOYS lighting designer, Dave Boots. He may be contacted through the Oak Ridge Boys office (615)-824-4924, or at home (615)-325-9786, or on his cell (615)-579-5858. You can E-Mail him at dave@oakridgeboys.com

UNLESS OTHER ARRANGEMENTS ARE MADE WITH DESIGNER PRIOR TO LOAD-IN, LIGHTING SHOULD BE FLOWN AND READY TO FOCUS NO LATER THAN 1:00 P.M. DAY OF SHOW.

******IMPORTANT******

**IF THIS SHOW IS TO BE PERFORMED BETWEEN THANKSGIVING DAY
AND CHRISTMAS PLEASE CONTACT THE DESIGNER FOR A
CHRISTMAS LIGHTING PLOT**



Lighting specifications

(A system)

One hundred eighty (180) par 64 fixtures on three trusses.
Three (3) banks of ACL's overhung from upstage truss.

Downstage truss is to have four (4) Molefaye units equipped with DWE 650 watt bulbs (**NO ACL'S**) or equivalent to illuminate the audience, or have control of house lights, or communications to house lights for entirety of show. One (1) extra circuit for Oak Ridge Boys Supplied Source, Four Leko

Upstage truss is to have a 40' x 25' black back drop.

Gels to specification for all instruments.

Dimmer package appropriate to system.

Four (4) follow spots in house. (This is an **ABSOLUTE MUST** as there are four principal performers in the OAK RIDGE BOYS.) NO EXCEPTIONS WILL BE MADE.

All four follow spots should be matched with properly operating boomerangs and positioned as close to center of house as reasonably possible.(Refer to plot for front of house spot colors).

In most cases the OAK RIDGE BOYS will have their own lighting console. A two line DMX snake w/power is required. In the case of a fly date a console will be required.

Acceptable consoles include: All Avo consoles, Leprechaun LP-2000, or 1500 series, ETC Express.

PLEASE... NO WHOLE HOG CONSOLES!!

Lighting company will also provide clearcom communication system with enough head sets, belt packs, and cable to run seven(7) stations.

Control snake and all cabling, including adequate spares.

Rigging gear appropriate for both the system and the venue.

ANY and ALL changes in TRUSS CONFIGURATION, GEL COLOR, CHANNEL ASSIGNMENT, CONSOLE, and SPOT LIGHTS other than what is specified in this package must be approved by the OAK RIDGE BOYS lighting designer, Dave Boots. He may be contacted through the Oak Ridge Boys office (615)-824-4924, or at home (615)-325-9786, or on his cell (615)-579-5858. You can E-Mail him at dave@oakridgeboys.com

UNLESS OTHER ARRANGEMENTS ARE MADE WITH DESIGNER PRIOR TO LOAD-IN, LIGHTING SHOULD BE FLOWN AND READY TO FOCUS NO LATER THAN 1:00 P.M. ON DAY OF SHOW.

****IMPORTANT****

**IF THIS SHOW IS TO BE PERFORMED BETWEEN THANKSGIVING DAY
AND CHRISTMAS PLEASE CONTACT THE DESIGNER FOR A
CHRISTMAS LIGHTING PLOT**

Oak Ridge Boys Lighting Patch Sheet

My CH.	Your Dimmer(s)	My CH.	Your Dimmer(s)	My CH.	Your Dimmer(s)
1		21		41	
2		22		42	
3		23		43	
4		24		44	
5		25		45	
6		26		46	
7		27		47	
8		28		48	
9		29		49	
10		30		50	
11		31		51	
12		32		52	
13		33		53	
14		34		54	
15		35		55	
16		36		56	
17		37		57	
18		38		58	
19		39		59	
20		40		60	
House Lights					