

Ground Row Cyc


58	80	N/C
54	55	56

58	80	N/C
54	55	56

58	80	N/C
54	55	56

58	80	N/C
54	55	56

color channel



We will be travelling with 4 chemical snow machines. We will determine where they will be positioned when we arrive.

Christmas trees are 1000w each with edison plugs  
I have stage pin turnarounds if necessary.



Lighting specifications

Christmas Show

One hundred twenty (120) par 64 fixtures on two trusses.

Downstage truss is to have two (2) molefayes units, or equivalent to illuminate the audience. If this is not available or reasonable, the L.D. is to have control of, or communication to house lights for the entirety of the show.

Provision must be made to hang two (2) drops (supplied by the Oak Ridge Boys) and one (1) cyc upstage of the rear truss as well as a black traveler. If performance is in a venue without a fly rail, only one drop will be used. Drops are to be front lit with four (4) 3 cell cyc lights.

Gels to specifications for all instruments.

Dimmer package appropriate to system.

Four (4) follow spots in house. ( This is an **ABSOLUTE MUST** as there are four principal performers in the OAK RIDGE BOYS). NO EXCEPTIONS WILL BE MADE.

All four followspots should be matched with properly operating boomerangs and positioned as close to center of house as reasonably possible. ( Refer to plot for FOH spot colors).

In most cases the OAK RIDGE BOYS will have there own lighting console. A two line DMX snake w/power is required. In the case of a fly date a console will be required. Acceptable consoles include: All Avo consoles, Leprechaun LP-2000, or 1500 series, ETC Express. **PLEASE... NO WHOLE HOG CONSOLES!!**

Lighting company must also provide a clearcom communication system with enough head sets, belt packs, and cable to run seven (7) stations.

Control snake and all cabling, including adequate spares.

Rigging gear appropriate for both the system and the venue.

**ANY and ALL changes in TRUSS CONFIGURATION, GEL COLOR, CHANNEL ASSIGNMENT, CONSOLE, or SPOTLIGHTS** other than what is specified in this package must be approved by the Oak Ridge Boys lighting designer, Dave Boots. He may be contacted through the Oak Ridge Boys office (615)-824-4924, or on his cell at (615)-579-5858.

**UNLESS OTHER ARRANGMENTS ARE MADE WITH DESIGNER PRIOR TO LOAD-IN, LIGHTING SHOULD BE FLOWN AND READY TO FOCUS NO LATER THAN 1:00 P.M. DAY OF SHOW.**

# Oak Ridge Boys Lighting Patch Sheet

My CH.	Your Dimmer(s)	My CH.	Your Dimmer(s)	My CH.	Your Dimmer(s)
1		21		41	
2		22		42	
3		23		43	
4		24		44	
5		25		45	
6		26		46	
7		27		47	
8		28		48	
9		29		49	
10		30		50	
11		31		51	
12		32		52	
13		33		53	
14		34		54	
15		35		55	
16		36		56	
17		37		57	
18		38		58	
19		39		59	
20		40		60	
House Lights					